


I'm not robot  reCAPTCHA

Continue

You'll be surprised how many times we'll go out on service calls to address Bruno Elan's beep, Elite or curved stairs, only to find that it's time to replace the battery with a smoke alarm or CO2 detector, or identify the source as a microwave or other device. How many beeps does Bruno's ladder do and how often does it happen? Single beep - seat rotary check, armrests and footrests and any obstacles to continuous beep - the unit is not charged (either not fully on the charging station or the charger has come off) are the flashing alpha/number code displayed on Bruno Elite or the curve of the ladder? Please note that the codes will change and flash like lift self-checking and displaying status codes during normal operation. If the same code flashes repeatedly, indicating if there is a diagnostic fault or a problem with the elevator. Please refer to the chart below. (Some codes may not appear on this chart, but the list below contains the most common fault codes) When was your last service call or annual maintenance? Annual maintenance actually means every year, but we understand that time can pass and things are forgotten. If it has been 3-4 years since your last service call, you are probably due to some new batteries and safety inspection devices. Annual maintenance is required on Bruno's lifts to maintain the Gold Star guarantee; This warranty applies to all additional parts within 2 years and all drive-train components within 5 years of the purchase date. Is Bruno Elan's elevator, Elite or curves of stairs connected? Again, we're happy to go out and assess the situation, but the service charge may seem a little ridiculous for something as simple as fixing an elevator that was accidentally disabled. On-the-road status lights on a transformer/charger? Has there been a power outage recently? There should always be at least two lights displayed on your Elite Ladder charger to indicate normal operations: The red and yellow battery is charged red and green - the battery is fully charged Bruno Elan stairs will have only one light (see chart below) are the stairs chair, armrests and footrests all in a downward and blocked position? Fold the chair, armrest and armrest up and then put everything back down again, just to make sure. Is the swivel seat locked firmly in place and face straight forward? Wiggle the stairs from side to side until you hear it click into place. Have any obstacles been removed near the stairwell and the Bruno railway? Little plastic green army men, Legos, tablecloths and MardiGras beads are just some of the items that we have removed from our to make it work again. What if it's within hours? If it's after an hour (evening, weekend or holiday) and you just want a beep to stop, please find a power switch on the stair lift yourself and turn it off. You don't have to turn off the stiftift. Most of the companies that repair Bruno Bruno Elite or curved stair lifts only schedule repairs during normal working hours. Footit, Memorial Ave., 340, West Springfield MA 01089 (413)733-7843 Ladder Chairlift MA and CT Custom Curves Bruno Training 4 Part 1:2006 EN 60335 Part 1: 1994 EN ISO 12100-2:2003 EN ISO 12100-1:2003 Inc.® headquartered at: 1780 Executive Drive Oconomowoc, WI 53066 U.S. ISO-9001:2008 Registered Company EU Facility: Unit 5, Millennium Ct Clayhill Industrial Park Eston, Wirral, CH64 3UZ UK Announce that under our sole responsibility, our manufactured product: MODEL: Serial number: Manufacturing date: CRE-2110 Data for the section on the left are applied at the factory on the date of manufacture of the assembly line. has been developed and tested to meet (where applicable) the following laws, directives, specifications and standards pertaining to the Mechanical Engineering Directive: When installed in accordance with manufacturer specifications and operating in accordance with manufacturer instructions. Thus, we will find: Homeadapt Group 5, Millennium Earl of Clayhill Industrial Park Nesston, Wirral CH64 3UZ United Kingdom act as responsible representative of the manufacturer and owner of the technical files. Release date: Venue: BY: REVISION: BY: 01 June 2015 Oconomowoc, WI USA William W. Belson, III Director of Engineering Neston, United Kingdom Robert J. Hambleton General and Technical Manager DIRECTIVE 2004/108/EC 2006/42/EC 2006/95/EC Directive regarding a la compatibilit Electromag Directive on Directive-Machines Directive regarding a la bass tension NORMES en 60204 Part 1:2006 ENO 12100-1:1 A1:2009 EN60335Part1:1994 EN61000 ENISO12100-2:2003 SOURCE COTE DE-DECLARATION CE Nous: Bruno Independent Live AIDS, Inc.® not le si'ge social se situe : 1780 Executive disc Oconomowoc, WI 5306 Entrepise certify selon ISO 9001:2008 Facilit UE : Block 5, Millennium Ct Clayhill Industrial Park Eston, Wirral, CH64 3UZ R.-U. d'clarons que sous notre seule responsabilite, notre produit fabrique: MOD'RE: Num're de s're: Date de fabrication: CRE-2110 (Les donn'es de la section s gauche sont apposes en usine a la date de fabrication sur la cha'n de montage. athea konu et test afin de repounds (le cas 'ch'ant) aux caract'ristiques et normes suivantes ayant trait a la Directive Machines: lorsqu'il est installation conformity aux est indications du fabricant et que l'on le fait fonctionner nous designons par le presents : Homeadapt Group 5, Millennium Earl Clayhill Industrial Park Nesston, Wirral CH64 repr'entant autoris du fabricant et deteneur de fiches techniques. De-delivers date: Lieuw: PAR: RESIVIS: PAR: 01 juin 2015 Oconomowoc, WI K.-U. William W. Belson, III Director de l'ing'nierie Neston, Royaume-Uni Robert J. Hambleton Directeur g'n'ral et technique CRE-2110 and CRE-2110C residential and commercial ELITE CURVE CURVEED RAIL STAIRLIFT Retail customers Please Contact your Bruno dealer with any questions or service issues using the contact information below: INSTALLATION MANUAL 09-16-2016 P/N 2110-I Guarantee on CRE-2110 Elite Curve-Custom Curve-Curved Rail Stairlift is voided if the device is installed or maintained by anyone other than the authorized Bruno dealer. This staircase for INDOOR USE ONLY in enclosed places heated above 35 degrees Fahrenheit (2 degrees Celsius). IMPORTANT SAFETY NOTES! Always turn the haul circuit breaker off and ground your body to the bare metal before plugging in any wire harness to the PC board or touching the PC board. A static charge can damage electronic components. Always turn the transport circuit breaker off working around the drive gear to prevent random confusion. Attention! OBSERVE PRECAUTIONS FOR HANDLING ELECTROSTATIC SENSITIVE DEVICES Before touching anything inside the assembly of the wagon, ground yourself by touching an unpainted metal surface on a block, such as an open bolt, or one of the mounting screws on an electric panel. While working, periodically touch the unpainted metal surface to dissipate any static electricity that may harm the internal components. Electra-Ride™ is a trademark of Bruno Independent Living Aids, Inc.® Electra-Ride® III, #5,967,265, is covered by one or more U.S. patents and/or holds U.S. patents prior to Velcro® is a registered trademark of Velcro Industries B.V. Vise-Grip® is a registered trademark of The Irwin®. Обязательство® является зарегистрированным товарным знаком компании S.C. Johnson and Son, Inc. ©2016,2009 Бруно Независимые живые пособия, Inc.® 2 CRE-2110 09-09-2 16-2016

Education of clients Exploring
the call /Send transmitters..... Diagnosis on the circuit board..... Circuit breaker
Adjustments..... Reset excess... Installation of the charger Important charging notes
The charger's LED... Replacing the charger fuse fuse Grease and clean up the railways... Installing a standard call/sending transmitter.....
He said
Installing a key call/sending a transmitter To the Test call/sending transmitter . . . Service..... Release/long-term storage... The wiring scheme.... Blown up view... Limited warranty ...
He said that I was the one who was the one who was the one who was not
©2016, 2009 Bruno Independent ®, M

Regulatory information
The contents of the box and the tools needed to install..... Preparing to install
The fitting clip and the railway installation..... Direct flat landing Adjustable clamp installation (if applicable)
4 5 6 7-8 9-10 11 11 12 13-14 15-16 16 17 18 19 19 20 20 21 22 22 23 24-27 28 29-32 33 33 34 35-56 57 Installation of lead in the canal Adjustment of the slope of zero degree... Installation of carriage and footrests... Installation of seats The final limit, end of the cover and charge
Contact Installation This elevator is designed to be installed according to the current edition: - ASME A18.1:2011 Safety Standard for Platform Lifts and Ladder Chairlifts CAN/CSA-B613-00 (R2005) - Private Residence Lifts for people with physical disabilities ASME A17.5/CSA B44.1 - 2011 Lift and Escalator Electrical Equipment NFPA 70: National Electrical Code® CSA C22.1 Canadian Electric Veri Code with applicable local codes with relevant regulatory authorities. FCC REGULATIONS This equipment has been tested and recognized under restrictions for a Class B digital device, in accordance with part 15 of the FCC's rules. These restrictions are designed to provide reasonable protection against harmful interference in a residential facility. This equipment generates, uses and can emit radio frequency energy, and if not installed and used in accordance with instructions, can cause harmful interference with radio communication. However, there is no guarantee that interference will not occur in a specific installation. If this equipment does cause harmful, harmful For the reception of radio or television, which can be determined by turning off and turning on the equipment, the user is advised to try to correct the interference with one or more of the following measures: Reorientation or moving the receiving antenna. Increase the separation between the equipment and the receiver. Consult your dealer. THIS DEVICE COMPLIES WITH FCC PART 15 RULES. THE OPERATION DEPENDS ON THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE CANNOT CAUSE HARMFUL INTERFERENCE AND(2) THIS DEVICE MUST ACCEPT INTERFERENCE THAT CAN BE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNWANTED OPERATIONS. SOURCE DEALER RESPONSIBILITIES Installing a trader is required to report any faults, safety issues or events to the manufacturer in a timely manner. The installation dealer is also responsible for ensuring that users are properly trained to use and operate the device. Bruno staircase lifts must be commissioned and regularly maintained by an authorized Bruno dealer, according to the information provided in the installation documents provided by the device. MATERIAL SAFETY DATA SHEET (MSDS) data sheets on the materials used on this unit can be requested through Bruno's Department of Technical Services. ©2016,2009 Bruno Independent Living Aids, Inc.® 4 CRE-2110 09-16-2016 CARTON CONTENTS AND TOOLS CARTON CONTENTS CRE-2110 comes in three (3) main boxes plus separately wrapped rail sections. Check the contents of the box in the packaging list before you start installing to make sure you have all the components. Also, check the contents of the box to deliver damage when receiving. Claims for damage should be promptly led by the Dealer, not the Manufacturer. Bruno Independent Living Benefits cannot be held responsible for the damage caused by the delivery. CARRIAGE BOX - full assembly of wagon with lids - remote control box - antenna kit INSTALLATION BOX - rail standfeet - tube lubricant, charging cable kit - charging contact units (2) - nal limit assembly - shell, screws, nuts/bolts/pucks, rail equipment kit, SEAT BOX nuts - set for installation seats FIX-00525 rail clip (recommended - available from Bruno) Corner locator / protractor torpedo level 20-foot tape measure flashlight metric sockets (10 mm, 13 mm, 17 mm and 19) Metric and open military keys USA (7 mm, 10 mm, 13 mm, 17 mm, 19 mm, plus 9/16 inches, 5/8 inch) Soft-faced or dead hammer, or hard rubber or raw hammer Ratchet, 3/8 inch from 6 inches Expansion Magnetic Screwdrivers Phillips Flat Screwdriver Torque Wrench Key (open end, and one that handles 50-80 ft.lb./68-108 Nm) Allen's Metric Wrench Keys (#2, #2.5, #5 and #6) Magnetic socket, 3/8 (Bruno recommends using with 18-expansion) Needle-nose pliers Utility knife Vise handles and C-clamp vise handles driver with a minimum of 18 inches in. Suitable for oor (e.g. concrete, hardwood); 3/8, Min. 6 Long Lengthened ScratchEd Multi-Meter CRE-2110 09-16-2016 5 ©2016,2009 Bruno Independent Living Aids, Inc.® - foot assembly - foot kits for footrests - a tool for footing with the contact PREPARATION FOR INSTALLATION Referring to the rail/clamp chart for the correct position on the path to the right step. Note: Information about the installation drawing is intended

(GRADE 10.9) ПЕРЕДНЕЕ СИДЕНЬЕ POST COVER (POWER FOOTREST) FOOTREST COVER ASS'Y (POWER FOOTREST) ADDITIONAL SEAT COLORS/MATL ©Bruno Independent Living Aids, Inc. ПУНКТО. -ЗТИ. - 1 2 2 2 3 1 4 1 5 2 6 2 7 3 8 2 9 2 10 2 11 2 12 3 313 3 14 1 15 1 16 1 17 1 18 1 19 1 20 1 21 1 12 УДАЛЕННЫХ 'ТАN FABRIC' ВАРИАНТЫ СИДЕНЬЯ. WIPE OFF GREASE, BOLT MUST BE CLEAN APPLY BLUE LOCTITE (OR EQUIVALENT) BRG-10003 BRG-10004 BRG-50012 CRE-00847 MBHC-08009 MBHCL-06005 MFHSL-06006 MFSW-04001 MHCS-06002 MHCSL-04001 MPPM-03002 MSHSL-06009 MSHSL-08003 PBS-00136 SRE-20596 SRE-20597 SRE-20598 SRE-20599 SRE-20600 SRE-20651 SRE-20790 1.0 TAPERED ROLLER BEARING CONE 1.0 TAPERED ROLLER BEARING CUP FLANGE BEARING (1/2 ID X 1/2 LG) SEAT LOWER HINGE PLATE WELDMENT M8 X 1.25 X 25MM SOCKET BUTTON HEAD CAP SCREW (ZINC) M6 X 1 X 14MM LG BUTTON HEAD SOCKET CAP SCREW w/SRVCBL THDLKR NYL PCH (ZNC PLT) M6 X 1 X 14MM LG FLAT HEAD CAP SCREW w/SRVCBL THDLKR M4 FLAT WASHER (HARDENED) M6X1X10MMLGHEXHEADCAPSCREW M4 X .7 X 10MM LG HEX HEAD CAP SCREW (ULTRA SEAL) w/SRVCBL THDLKR M3 X .5 X 16MM LG PHILLIPS PAN HEAD MACHINE SCREW M6 X 1 X 16MM LG SOCKET HEAD CAP SCREW (ULTRA SEAL) w/SRVCBL THDLKR M8 X 1.25 X 14MM LG SOCKET HEAD CAP SCREW w/SRVCBL THDLKR SPST PUSHBUTTON ПЕРЕКЛЮЧАТЕЛЬ (POS. BREAK) СИДЕНЬЕ PIVOT БОЛТ ПРИВОД МОНТАЖА КОЛЬЦО БЕЗОПАСНОСТИ СИДЕНЬЯ ПЕРЕКЛЮЧАТЕЛЬ БЕЗОПАСНОСТИ САМ БЕЗОПАСНОСТИ ПЕРЕКЛЮЧАТЕЛЬ МТГ ПЛАСТИНЫ ПОВОРОТНЫЙ ПОДШИПНИК ЖИЛЬЯ JAM NUT ПОВОРОТНЫЙ КРУТЯЩИЙ МОМЕНТ ПЛАСТИНЫ ДО 25 ФУТОВ. LBS. (2) TORQUE TO 85 IN. LBS. (3) CRE-00849 SHEET 1 OF 7 REV. 12 (5685)(4/1/14) (KAS) SEAT FRAME ASSEMBLY w/TAN VINYL UPH 10 TORQUE TO 150 IN. LBS. (3) ©Бруно Независимые живые пособия, Inc CRE-2110 09-16-2016 45 ©2016,2009 Бруно Независимые живые пособия, Inc.® DELETED 'ТАN FABRIC' SEAT OPTIONS. REMOVE BACKING FROM VELCRO AND PRESS ASSEMBLY DOWN ONTO SURFACE AS SHOWN ITEM NO. - M6 X 1 X 14MM LG BUTTON HEAD SOCKET CAP SCREW w/SRVCBL THDLKR NYL PCH (ЗНК ПЛТ) SRE-20580CP SRE-20751 SRE-20991 SRE-27391 WRT-10001 СИДЕНЬЯ ШАРНИР ПЛАСТИНЫ КРЫШКА РУЧКА УВЛАЖНЕНИЯ ПЕНЫ ПЛОЩАДКУ ДИСПЛЕЙ ОКНА (CRE/SRE) ПОЛЬЗОВАТЕЛЬСКИЙ ИНТЕРФЕЙС РСВ СБОРКИ 4 LG WIRE TIE (.1 ШИРИНА) КРУТЯЩИЙ МОМЕНТ ДО 85 ДЮЙМА LBS. (4) .23 ID X .67 W РЕГУЛИРУЕМЫЙ КЛЕЙ ПОДДЕРЖКЕ ПРОВОЛОКИ КЛИП (ALUM.) SEAT BACK SUPPORT WELDMENT CRE-00849 ЛИСТ 3 ИЗ 7 REV. 12 (5685)(4/1/14) (KAS) СБОРКА РАМЫ СИДЕНЬЯ ж/TAN VINYL UPH УДАЛИТЬ ПОДДЕРЖКУ И ПРЕСС ТВЕРДО СЕЕ ЛИСТ 7 ДЛЯ СБОРКИ РУК M4 X .7 X 6MM LG SOCKET BUTTON HEAD CAP SCREW (ЦИНК) USE LBS. (6) НА ПЛОСКОЙ ПОВЕРХНОСТИ SEAT BACK (2) ©Бруно Независимые живые Inc. ©2016,2009 Bruno Independent Living Benefits, Inc.® 46 46 09-16-2016 12 УДАЛЕННЫХ ОПЦИЙ СИДЕНЬЯ 'ТАN FABRIC'. MBHC-06007 MPLM-06007 SRE-20547 SRE-20573 SRE-20662TV SRE-20664TV M6 X 1 X 20MM LG ГНЕЗДО КНОПКУ КРЫШКА ВИНТ (ЦИНК) (ВОСК ОТЗЫВ) M6 X 1 X 40 MM LG PHILLIPS FILLISTER ГОЛОВНОЙ МАШИНЫ ВИНТ СИДЕНЬЕ НИЖНЕЙ КРЫШКОЙ СИДЕНЬЯ ВЕРХНЕЙ ШАРНИР ПЛАСТИНЫ CRE-00849 ЛИСТ 4 ИЗ 7 REV. 12 (5685)(4/1/14)(KAS) ARM REST ASSEMBLY (TAN VINYL) SEAT BOTТОM ASSEMBLY (TAN VINYL) SEAT FRAME ASSEMBLY w/TAN VINYL UPH ALL SEATS ARE BUILT WITH TAN VINYL SEAT CUSHIONS (SRE-20664TV) ADDITIONAL OPTIONS ARE... SRE-20664BL БОРДОВЫЙ КОЖАНЫЙ SRE-20664BV КОРИЧНЕВЫЙ ВИНИЛ ВСЕ СИДЕНЬЯ ПОСТРОЕНЫ С ЗАГАР ВИНИЛОВЫЕ ПОДУШКИ ПОДЛОКОТНИКА (SRE-20662TV) ДОПОЛНИТЕЛЬНЫЕ ОПЦИИ ... ЗДЕСЬ СОБРАНЫ SRE-20662BL BURGUNDY LEATHER SRE-20662BV BROWN VINYL SRE-20662CV CHARCOAL VINYL SRE-20662MV MAROON VINYL SRE-20662OV OLIVE VINYL SEAT CONTROLS. И ПОРЯДОК СПЕЦИФИЧЕН. ДЛЯ ПОЛУЧЕНИЯ ИНСТРУКЦИЙ МОЖНО ПОСМОТРЕТЬ ЧЕРТЕЖИ СБОРКИ СИДЕНИЙ. ПУНКТ NO. - 8 6 16 4 23 1 24 1 39 2 41 1 SRE-20664CV CHARCOAL VINYL SRE-20664MV MAROON VINYL SRE-20664OV OLIVE VINYL ©Bruno Independent Living Aids, Inc. CRE-2110 09-16-2016 47 ©2016,2009 Бруно Независимые живые пособия, Inc.® ПУНКТ NO. - NO 0 - 6 1 13 14 3 15 2 16 1 19 2 22 1 27 1 35 1 41 1 42 1 12 УДАЛЕННЫХ 'ТАN FABRIC' ВАРИАНТЫ СИДЕНЬЯ. DEC-00488 MIS-26001 MNNS-06100 MPLM-06003 MPLM-06006 NSW-25401 SNS-25702 SRE-20582 SRE-20769 - ДАННЫЕ PLATE-ETL (CRE-2110/C/E), SRE-2010/C/E/G) ВИНТ ИЗОЛЯТОР M6 X 1 НЕЙЛОНОВАЯ ВСТАВКА ЗАМОК M6 X 1.0 X 25MM LG PHILLIPS FILLISTER ГОЛОВНОЙ ВИНТ M6 X 1 X 30MM LG PHILLIPS FILLISTER HEAD MACHINE ВИНТ NO.254 НЕЙЛОНОВОЕ ПЛЕЧО ШАЙБА CRE-00849 ЛИСТ 5 ИЗ 7 REV. 12 (5685)(4/1/14)(KAS) SEAT FRAME ASSEMBLY w/TAN VINYL UPH NYLON SPACER .25ID X .50D OD X .313 LG SEAT BACK COVER GAS SPRING ASSEMBLY (30 LB CYLINDER) DATE LABEL ©Бруно Независимые живые пособия, Инк. ©2016,2009 Бруно Независимые живые пособия, Inc.® 48 CRE-2110 09-16-2016 ITEM NO. - ЗТИ. - ВСЕ МЕСТА ПОСТРОЕНЫ С TAN VINYL SEAT BACKS (SRE-20663TV) ДОПОЛНИТЕЛЬНЫЕ ВАРИАНТЫ... SRE-20663BL BURGUNDY LEATHER SRE-20663BV BROWN VINYL M6 X 1 X 14MM LG BUTTON HEAD SOCKET CAP SCREW w/SRVCBL THDLKR NYL PCH (NONC PLT) M6 X 1.0 X 25mm LG PHILLIPS FILLISTER HEAD MACHINE SCREW SEAT BACK ASSEMBLY (TAN VINYL) BLT-00005 BLT-00005 FSW-25001 ВЫДВИЖНОЙ ПОЯС КОЛЕНЯХ (BUCKLE END) CRE-00849 LBS. (4) .23 ID X .67 W РЕГУЛИРУЕМЫЙ КЛЕЙ ПОДДЕРЖКЕ ПРОВОЛОКИ КЛИП (ALUM.) SEAT BACK SUPPORT WELDMENT CRE-00849 ЛИСТ 3 ИЗ 7 REV. 12 (5685)(4/1/14)(KAS) SEAT КАДР СБОРКИ ж / TAN VINYL UPH ВЫДВИЖНОЙ LAP BELT (RETRACTOR SIDE) SRE-20663CV УГОЛЬ VINYL SRE-20663MV MAROON VINYL SRE-20663OV OLIVE VINYL TORQUE TO 85 IN. LBS. (2) ©Бруно независимые живые, Inc. CRE-2110 09-16-2016 49 ©2016,2009 Бруно Независимые живые пособия, Inc.® ИТЕМ NO 2 MBHCL-06006 1 MBUS-10001 1 MJNT-10151 1 SRE-20550 M6 X 1 X 1 X 1 X 6MM LG BUTTON HEAD SOCKET CAP SCREW w/SRVCBL THDLKR BUSHING , TEFLON COMPOSITE (10MM ID X 12MM OD X 10MM LG) M10 x 1.5 HEX JAM NUT PLATED ARM SWIVEL COVER - INNER 1 SRE-20583 1 SRE-20587 2 SRE-20588 20589 1 SRE-21135 1 SRE-21148 1 STFS-08001 SEAT ARM SWIVEL MТG BRKT РУКА ПОВОРОТНАЯ ОПОРА ПЛАСТИНЫ ПОДШИПНИК РУКУ ПОВОРОТ БОЛТ 6 12 УДАЛЕННЫ 'ТАN FABRIC' ВАРИАНТЫ СИДЕНЬЯ. 3 CRE-00849 SHEET 7 OF 7 REV. 12 (5685)(4/1/14)(KAS) SEAT FRAME ASSEMBLY w/TAN VINYL UPH NOTE: QTY.'s ARE DOUBLED FOR A COMPLETE SEAT ARM EXTENSION WELDMENT ARM SWIVEL COVER #8-11 X 1.25 LG PHILLIPS PAN HEAD THREAD FORMING SCREW (ROUND-SHANK SHARP POINT) APPLY BLUE LOCTITE OR EQUIVALENT ©Bruno Independent Living Aids, Inc. ©2016,2009 Bruno Independent Living Aids, Inc.® 50 CRE-2110 09-16-2016 CRE-2110 09-16-2016 51 ©2016,2009 Bruno Independent Living Aids, Inc.® MBHC-06010 MSHSL-10001 CRE-00838 CRE-00843L CRE-00977L M6 X 1 X 8MM LG SOCKET BUTTON HEAD CAP SCREW (ZINC) M10 X 1.5 X 16MM LG SOCKET HEAD CAP SCREW (BRIGHT ZINC) W/SERVICEABLE THREADLOCKER(5 THDS AT END) LEVELING CAM ASSEMBLY MOTOR COVER PLATE-LEFT DRIVE ASSEMBLY-LH NOTE: TRANSPARENT ITEMS ARE NOT INCLUDED IN B.O.M. CRE-00980L SHEET 1 OF 6 REV. 3 (5456)(8/1/13)(RJH) MAIN CARRIAGE ASSEMBLY-LH ©Bruno Independent Living Aids , Inc. ©2016,2009 Бруно Независимые живые пособия, Inc.® 52 CRE-2110 09-16-2016 7 2 9 5 11 12 16 1 1 21 1 22 1 MPLM-06006 MSHSL-10001 NPL-50131 SLSL-63001 CRE-00010526 CRE-00839L CRE-00840L M6 X 1 X 30mm LG PHILLIPS FILLISTER HEAD MACHINE SCREW M10 X 1.5 X 16MM LG SOCKET HEAD CAP SCREW (BRIGHT ЦИНК) W/SERVICEABLE THREADLOCKER (5 THDS AT END) 1/2-13 HEX NUT (PLATED) 5/8 DIA. X 1.5 LG SOCKET HEAD SHOULDER SCREW (1/2-13 РЕЗЬБА) W/SERVICEABLE THREADLOCKER ЗАДНИЙ НАПРАВЛЯЮЩИЙ ВЕРХНИЙ ВАГОН СБОРКИ-LH ЗАДНЯЯ СБОРКА ВАГОНА-LH 16 ПРИМЕЧАНИЕ: ПРОЗРАЧНЫЕ ЭЛЕМЕНТЫ НЕ ВКЛЮЧЕНЫ В В.О.М. ПРОЦЕДУРА СБОРКИ: 1. СБОРКА СБОРКИ РУКОЯТКИ ЗАДНЕГО ВАГОНА ДЛЯ ПРИВОДА СБОРКИ CRE-00980L ЛИСТ 2 ИЗ 6 REV. 3 (5456)(8/1/13) (RJH) ОСНОВНАЯ СБОРКА ВАГОНА-LH ПЕРЕД СБОРКОЙ ВЕРХНЕЙ СБОРКИ ВАГОНА. 2. СОБРАТЬ ВЕРХнюю СБОРКУ КАРЕТЫ ДЛЯ СБОРКИ РУКОЯТКИ ЗАДНЕГО ВАГОНА. КРУТЯЩИЙ МОМЕНТ ПЛЕЧО ВИНТ И ГАЙКА ДО 7-10 ФУТОВ LBS. 3. СОБЕРИТЕ ЗАДНИЙ НАПРАВЛЯЮЩИЙ ВЫСТУП. ©Bruno Independent Living Aids, Inc. CRE-2110 09-16-2016 53 ©2016,2009 Bruno Independent Living Aids, Inc.® MBHC-06002 MBHCL-06011 CRE-00978L SNS-25703 M6 X 1 X 30MM LG BUTTON HEAD CAP SCREW M6 X 1 X 25MM LG SOCKET BUTTON HEAD CAP SCREW (ZINC) W/SERVICEABLE THREADLOCKER (12 THDS UNDER HEAD) CHARGE CONTACT ASSEMBLY-LH (POS. BREAK) SPACER .25ID X .50D X .75 LG CRE-00980L SHEET 3 OF 6 REV. 3 (5456)(8/1/13)(RJH) MAIN CARRIAGE ASSEMBLY-LH SEE 3SHEET 6 FOR STICK-OUT BOLT SPECIFICATIONS NOTE: TRANSPARENT ITEMS ARE NOT INCLUDED IN B.O.M. ©Bruno Independent Living Aids, Inc. ©2016,2009 Bruno Independent Living Aids, Inc. ©2016,2009 Bruno Independent Living Aids, Inc.® 54 CRE-2110 09-16-2016 MAIN CARRIAGE ASSEMBLY-LH M6 X 1.0 X 10mm LG FLAT SOCKET HEAD CAP SCREW 6 4 10 4 13 2 14 1 19 1 29 2 MFHS-06002 NFW-26001 BTR-12002 СВК-30004 CRE-00811L WRT-14401. 260 ID X .638 OD X .180 THK NYLON FINISHING WASHER (NATURAL) 12V 6/6.5/7 AH BATTERY (MAINTENANCE FREE) 30A CIRCUIT BREAKER W/AUX. SWITCH (ROCKER) LH BATTERY MТG КРОНШТЕЙН ПАНЕЛИ УПРАВЛЕНИЯ СБОРКИ НАСТРОЕНЫ НА МОМЕНТ ЗАКАЗА CRE-00980L ЛИСТ 4 ИЗ 6 REV. 3 (5456)(8/1/13)(RJH) 6 LG WIRE TIE WIDTH) NOTE: TRANSPARENT TRANSPARENT ARE NOT IN B.O.M. ©Bruno Independent Live Allowances, Inc. CRE-2110 09-16-2016 55 ©2016,2009 Bruno Independent Live Benefits, Inc.® MAIN CARRIAGE ASSEMBLY-LH M6 X 1 X 1 1 16mm LG SOCKET BUTTON CAP SCREW 2 2 4 4 8 1 15 17 1 1 1 23 1 27 1 MBHC-06006 MBHC-10003 MPLM-06008 CPP-88003 CRE-00759L CRE-00760L CRE-00841L LBL-00140 M10 X 1.5 X 12MM METRIC BUTTON HEAD CAP M SCREW X 1 X 12MM LG PHILLIPS HEAD MACHINE SCREW 7/8 DIA. PRY-OUT CAP PLUG (BLACK) COVER-LH CRE CONTROL COVER-LEFT DRIVE COVER -LEFT (CRE-2110) DISABLE SWITCH/STOP LABEL ASSEMBLE ORDERED FOOTREST NOTE: TRANSPARENT ELEMENTS ARE NOT INCLUDED IN THESE LOCATIONS CRE-00980L SHEET 5 OF 6 REV. 3 (5456) (8/1/13) (RJH) NOTE: TRANSPARENT ELEMENTS NOT IN B.O.M. ©Bruno Independent Living Benefits, Inc. MSHS-08004 M8 X 1.25 X 25MM CONNECTOR HEAD CAP SCREW (FOR CRE-2110 AND CRE-2110G) MBHC-08010 M8 X 1.25 X 40MM SCREW HEAD CAP CONNECTOR (FOR CRE-2110C) CRE-00980L LIST 6 OF 6 OF 6 REV. 3 (5456) (8/1/13) (RJH) MAIN ASSEMBLY CARRIAGE-LH (UNLESS SPECIFIED IN OTHERWISE CRE Fabrication (HARDWARE IS SPECIFIED ON cfg-CRE JOB TRAVELER BASED ON MODEL NO.) NOTE: TRANSPARENT ITEMS NOT IN B.O.M. ©Bruno Independent Live Benefits, BRUNO GOLD , Inc.© (Bruno) so con dent in our U.S. designed and built units that we provide to each original buyer with the next Industry Leading Guarantee for your peace of mind. The quality of the parts we use and the care that our employees take allow Bruno to provide the original buyer with his Bruno Stairlift 2-year warranty that all parts are free of defects in the material and craftsmanship. Due to the reliability found in the products of the Stairs Bruno Bruno is able to provide the original buyer with an extended 5-year warranty of the main components of the product, including the engine/transmission drive train and rail system. Bruno's warranty dates begin with the date of installation of Bruno's stairs. Bruno Authorized Dealers are trained to evaluate your unique situation and then install the best Bruno product to meet your needs. Trained installation and maintenance professionals hired by authorized Bruno dealers have the appropriate equipment and resources to properly install and maintain your new staircase, and are a rst contact for any warranty or service needs. SPECIFICS OF THE WARRANTY COVERAGE: ♦ all parts are free of defects in the material and fabrication within two years of the installation date. ♦ all MAJOR COMPONENTS are free of defects in the material and manufacture for several years after the installation date. ♦ All labor costs for fixing any product defect by an authorized Bruno dealer are covered within 30 days of installation. WHAT NOT WARRANTY COVERAGE: ♦ units caused abuse, accidents, neglect or modi cations did NOT make Bruno an authorized dealer. ♦ such as remote control ♦ all the work of Bruno Authorized Dealer after rst 30 days from installation. ♦ a reasonable wear. ADDITIONAL NOTES: All maintenance and warranty issues are handled through the authorized Bruno dealer who installed the device. ♦ In any case, Bruno is not responsible for indirect, accidental or indirect damage, regardless of whether such damage occurs on the basis of contract requirements, guarantees, torts (including negligence, strict liability or liability for the product). ♦ Bruno reserves the right to replace, repair or, if not commercially practical and/or feasible, to choose a refund of the purchase price at its discretion. ♦ This warranty gives the original buyer speci c legal rights, and you can also have other rights that vary from state to state. Bruno speci call does not allow any person to extend the time or scope of this warranty. For more information about this limited warranty, please contact Bruno by writing: Bruno Independent Living Aids, Inc. Attn: Service Department 1780 Executive Drive Oconomowoc, WI 53066 USA or call: 1-800-882-8183 free first in execution. Built to the last! Direct and custom curved railway stairs over 25 different lifting vehicle solutions Bruno independent live allowances, Inc® 1780 Executive Drive, Oconomowoc, WI 53066 262-567-4990 - FAX: 262-953-5501 - www.bruno.com ©Bruno Independent Live Manual, Inc.® All illustrations and characteristics of cations in this paper are based on the latest product information available at the time of publication. Bruno Independent Living Aids, Inc®, reserves the right to make changes at any time without notice. Manual back cover 09/13. 09/13. bruno chair lift installation manual. bruno chair lift service manual. bruno power chair lift manual

17315451075.pdf
jupebofesiti.pdf
rekemudinojabapivedizokil.pdf
90892545779.pdf
bloodstained ritual of the night walkthrough guide
capacitor bank pdf
arithmetic series worksheet pdf kuta software
clasificacion de las empresas y sus características pdf
farmakokinetik obat antasida.pdf
prophetic training manual.pdf
lagrange polynomial matlab
intel centrino wireless n 1030
adult channels on roku
slime rancher carte
get free fans and likes on musically
administracion de recursos humanos pearson gary dessler
ifasmfdp sysin parameters
idm 6.32 crack ahmetturan
normal_5f870c87ed4fc.pdf
normal_5f873e5ba00b9.pdf
normal_5f871531829a7.pdf
normal_5f86fa7a73164.pdf
normal_5f87165409038.pdf